	TED STATES PATENT A	UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov		
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/944,501	08/30/2001	Masashi Kon	09792909-5130	2401
26263 SONNENSCH	7590 12/21/2007 EIN NATH & ROSENTH	EXAMINER		
P.O. BOX 0610		SHERR, CRISTINA O		
	IVE STATION, SEARS T	ART UNIT	PAPER NUMBER	
CHICAGO, IL 60606-1080			3621	L
			MAIL DATE	DELIVERY MODE
			12/21/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

٠

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)	,			
Office Action Summary		09/944,501	KON ET AL.				
		Examiner	Art Unit				
		Cristina Owen Sherr	3621				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
 A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). 							
Status							
1) ⊠	Responsive to communication(s) filed or	08 August 2007.					
	This action is FINAL . $(2) \boxtimes$ This action is non-final.						
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	Disposition of Claims						
 4) Claim(s) <u>1-27</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) <u>1-27</u> is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 							
	on Papers						
9) The specification is objected to by the Examiner.							
	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority ι	ınder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) Notic 3) Infor	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-9 nation Disclosure Statement(s) (PTO-1449 or PTO r No(s)/Mail Date	48) Pap (SB/08) 5) 🛄 Not	rview Summary (PTO-413) er No(s)/Mail Date. <u>02/27/05</u> . ce of Informal Patent Application (P er:	'TO-152)			

.

DETAILED ACTION

- 1. This communication is in response to applicant's amendment filed August 1,
- 2007. Claims 1-27 are currently pending in this case.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 1-27 rejected under 35 U.S.C. 103(a) as being unpatentable over Bianco et al (US 6,256,737).

4. Regarding claim 1 -

Bianco discloses a person authentication application data processing system for

performing a person authentication process based on a verification process between a

template extracted from a person identification certificate in which the template (104, col

3 In 1-5, "compared measurements of unique personal characteristics") which is person

identification data of an individual user who uses an information processing apparatus

and user input sampling information, said person authentication application data

processing system comprising:

an information processing apparatus as a person authentication execution entity (e.g. col 3 ln 7-17, "administration station"); and

a person identification certificate authority as a person identification certificate issuing entity (e.g. col 3 ln 33-40, "certificate authority system", 104),

wherein said information processing apparatus performs a process of retrieving a person identification certificate used for a person authentication process based on user input information, and, when the information processing apparatus determines that the person identification certificate has not been received from the person identification certificate has not been received from the person identification certificate authority and stored locally in a local storage device of the information processing apparatus, outputs a request for issuing a person identification certificate to the person identification certificate authority when a person identification certificate corresponding to the user input information cannot be extracted (e.g. col 16 In 5-20, ""switchboard object receives the request, via comm. object, and creates receiver object')

said person identification certificate authority creates a person identification certificate in which an encrypted template which can be decrypted in said information processing apparatus and performs an issuing process for the information processing apparatus (e.g. col 54 ln 10-28, " digital certificate from a certificate authority"), and

said information processing apparatus performs a process for storing the person identification certificate issued from said person identification certificate authority in the storage means of the information processing apparatus (e.g. col 54 ln 10-28, "encrypted digital certificate containing . . . identification information").

5. Bianco does not use the same steps in the same order as the instant application. Mere re-ordering of steps, however, would be obvious to one of ordinary skill in the art and thus does not confer patentability. Note also that Bianco, at, e.g., : "FIG. 7 includes biometric server 104 (FIG. 1), computer 208 (or alternatively remote/web computer 210,

both from FIG. 2), authentication interface 704, authentication interface 706, authentication object 708, database object 710, policy object 712, comm object 716, comm object 718, authentication object 720 and biometric device object 722. Here, biometric server 104 is performing as the server and computer 208 is performing as the client." (col 22, ln 41-49).

6. Thus, Bianco does allow for either remote or local template checking.

7. Regarding claim 2 –

Bianco discloses a person authentication application data processing system according to Claim 1, wherein, in the process for storing the newly obtained person identification certificate in the storage means, when said newly obtained person identification certificate is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus, said information processing apparatus performs a process for creating pair information of identifiers of each certificate and stores the pair information in the storage means (e.g. col 54 ln 20-30).

8. Regarding claim 3 –

Bianco discloses a person authentication application data processing system according to Claim 1, further comprising a certificate authority as a public key certificate issuing entity, wherein, said information processing apparatus performs a process for retrieving a public key certificate used during data communication with an external apparatus with stored data of the storage means of the information processing apparatus being used as the retrieval target on the basis of the user input information, creates a pair of a

public key and a secret key when the applicable public key certificate cannot be extracted, transmits the created public key to the certificate authority which is the issuing entity of the public key certificate and makes a request for issuing a person identification certificate, said certificate authority performs a process for issuing a public key certificate corresponding to an individual user or a public key certificate corresponding to said information processing apparatus, and said information processing apparatus performs a process for storing the public key certificate issued from said certificate authority in the storage means of the information processing apparatus (e.g. col 54 ln 20-30).

9. Regarding claim 4 –

Bianco discloses a person authentication application data processing system according to Claim 3, wherein, in the process for storing the newly obtained person identification certificate in the storage means, when said newly obtained person identification certificate is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus, said information processing apparatus performs a process for creating pair information of identifiers of each certificate and stores the pair information in the storage means (e.g. col 2 ln 50-60).

10. Regarding claim 5 –

Bianco discloses a person authentication application data processing system according to Claim 3, wherein, in the process for storing the newly obtained person identification certificate in the storage means, when said newly obtained person identification

certificate is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus, said information processing apparatus performs a process for creating pair information of identifiers of each certificate, stores the pair information in the storage means, and registers together a process identifier which identifies a process such as services to be used (e.g. col 55 ln 45-60).

11. Regarding claim 6 –

Bianco discloses a person authentication application data processing system according to Claim 1, further comprising a service distribution construction in which various services such as content distribution can be received from a service provider under the control of a service registration server on the condition of user registration for the service registration server, wherein said information processing apparatus performs a person authentication process based on a verification process between the template extracted from the person identification certificate in which the template which is person identification data of an individual user who uses the information processing apparatus is stored and user input sampling information and performs user registration for said service registration server on the condition that person authentication is established (e.g. col 55 ln 45-60).

12. Regarding claim 7 –

Bianco discloses a person authentication application data processing system according to Claim 1, further comprising a service distribution construction in which various services such as content distribution can be received from a service provider under the

control of the service registration server on the condition of user registration for the service registration server, wherein said information processing apparatus performs mutual authentication with said service provider by using a public key certificate corresponding to an individual user or a public key certificate corresponding to said information processing apparatus in a process for receiving service distribution from said service provider, and said service provider provides services for said information processing apparatus on the condition that it is confirmed that the public key certificate used for said mutual authentication corresponds to an authorized user or device registered in said service registration server and said mutual authentication is established (e.g. abstract, col 3 ln 33-40).

13. Regarding claim 8 –

Bianco discloses a person authentication application data processing system according to Claim 1, wherein data communication between said information processing apparatus as a person authentication execution entity and the person identification certificate authority as a person identification certificate issuing entity is performed on the condition that the mutual authentication process is established (e.g. abstract, col 2 ln 53 – col 3 ln 5).

14. Regarding claim 9 -

Bianco discloses a person authentication application data processing system according to Claim 1, wherein, for data communication between said information processing apparatus as a person authentication execution entity and the person identification certificate authority as a person identification certificate issuing entity, a data

transmission part performs a process for creating an electronic signature for transmission data, and a receiving part performs a process for verifying the electronic signature (e.g. col 55 ln 47-57).

15. Regarding claim 10 -

Bianco discloses a person authentication application data processing system according to Claim 1, wherein an encryption key used to encrypt the template stored in the person identification certificate issued from said person identification certificate authority is a public key which is set for said information processing apparatus or an individual user (e.g. col 55 ln 37-45).

16. Regarding claim 11 –

Bianco discloses a person authentication application data processing system according to Claim 1, wherein said template is biometric information of a person such as fingerprint information, retina pattern information, iris pattern information, voice print information, and handwriting information, or a non-biometric information such as a seal, a passport, a driver's license, and a card, or any combination of two or more of the biometric information and the non-biometric information, or a combination of any of the information and a password (e.g. abstract).

17. Regarding claim 12 -

Bianco discloses a person authentication application data processing method for performing a person authentication process based on a verification process between a template extracted from a person identification certificate in which a template which is person identification data of an individual user who uses an information processing

apparatus and user input sampling information, said person authentication application data processing method comprising (104, col 3 ln 1-5, "compared measurements of unique personal characteristics");

a step for providing an information processing apparatus as a person authentication execution entity and a person identification certificate authority as a person identification certificate issuing entity; (e.g. col 3 ln 7-17, "administration station");

a step in which said information processing apparatus performs a process of retrieving a person identification certificate used for a person authentication process based on user input information, and, when the information processing apparatus determines that the person identification certificate has not been received from the person identification certificate authority and stored locally in a local storage device of the information processing apparatus outputs a request for issuing a person identification certificate to the person identification certificate authority which is a person identification certificate issuing entity when a person identification certificate corresponding to the user input information cannot be extracted (e.g. col 16 ln 5-20, ""switchboard object receives the request, via comm. object, and creates receiver object")

a step in which said person identification certificate authority creates a person identification certificate in which an encoded template which can be decrypted in said information processing apparatus is stored and performs an issuing process for the

information processing apparatus (e.g. col 54 ln 10-28, " digital certificate from a certificate authority"); and

a step in which said information processing apparatus performs a process for storing the person identification certificate issued from said person identification certificate authority in the storage means of the information processing apparatus (e.g. col 54 ln 10-28, "encrypted digital certificate containing . . . identification information"). 18. Bianco does not use the same steps in the same order as the instant application. Mere re-ordering of steps, however, would be obvious to one of ordinary skill in the art and thus does not confer patentability. Note also that Bianco, at, e.g., : "FIG. 7 includes biometric server 104 (FIG. 1), computer 208 (or alternatively remote/web computer 210, both from FIG. 2), authentication interface 704, authentication interface 706, authentication object 708, database object 710, policy object 712, comm object 716, comm object 718, authentication object 720 and biometric device object 722. Here, biometric server 104 is performing as the server and computer 208 is performing as the client." (col 22, ln 41-49).

19. Thus, Bianco does allow for either remote or local template checking.

20. Regarding claim 13 -

Bianco discloses a person authentication application data processing method according to Claim 12, wherein, in the process for storing the newly obtained personal identification certificate in the storage means, when said newly obtained person identification certificate is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said

information processing apparatus, said information processing apparatus performs a process for creating pair information of identifiers of each certificate and storing the pair information in the storage means (e.g. col 54 In 20-30).

21. Regarding claim 14 –

Bianco discloses a person authentication application data processing method according to Claim 12, further comprising:

a step for providing a certificate authority as a public key certificate issuing entity; a step in which said information processing apparatus performs a process for retrieving a public key certificate used during data communication with an external apparatus with stored data of the storage means of the information processing apparatus being used as the retrieval target on the basis of the user input information, creates a pair of a public key and a secret key when the corresponding public key certificate cannot be extracted, transmits the created public key to the certificate authority which is the issuing entity of the public key certificate;

a step in which said certificate authority performs a process for issuing a public key certificate corresponding to an individual user or a public key certificate corresponding to said information processing apparatus; and

a step in which said information processing apparatus performs a process for storing the public key certificate issued from said certificate authority in the storage means of the information processing apparatus (e.g. col 54 ln 20-30).

22. Regarding claim 15 –

Bianco discloses a person authentication application data processing method according to Claim 14, wherein, in the process for storing the newly obtained personal identification certificate in the storage mean, when said newly obtained personal identification certificate is a personal identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus, said information processing apparatus performs a process for creating pair information of identifiers of each certificate and for storing the pair information in the storage means (e.g. col 2 ln 50-60).

23. Regarding claim 16 –

Bianco discloses a person authentication application data processing method according to Claim 14, wherein, in the process for storing the newly obtained personal identification certificate in the storage means, when said newly obtained person identification certificate is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus, said information processing apparatus performs a process for creating pair information of identifiers of each certificate, storing the pair information in the storage means, and registering together a process identifier which identifiers a process such as services to be used (e.g. col 55 ln 45-60).

24. Regarding claim 17 –

Bianco discloses a person authentication application data processing method according to Claim 12, further comprising: a step for providing a service distribution construction in which various services such as content distribution can be received from a service

provider under the control of a service registration server on the condition of user registration for the service registration server; and a step in which said information processing apparatus performs a person authentication process based on a verification process between a template extracted from the person identification certificate in which the template which is person identification data of an individual user who uses the information processing apparatus is stored and the user input sampling information, and performs user registration for said service registration server on the condition that person authentication is established (e.g. col 55 ln 45-60).

25. Regarding claim 18 –

Bianco discloses a person authentication application data processing method according to Claim 12, further comprising: a step for providing a service distribution construction in which various services such as content distribution can be received from a service provider under the control of a service registration server on the condition of user registration for the service registration server; a step in which, in a process for receiving service distribution from said service provider, said information processing apparatus performs mutual authentication with said service provider by using a public key certificate corresponding to an individual user who uses the information processing apparatus; and a step in which said service provider provides services for said information processing apparatus on the condition that it is confirmed that the public key certificate used for said mutual authentication corresponds to an authorized user or

device registered in said service registration server and said mutual authentication is established (e.g. abstract, col 2 ln 53 – col 3 ln 5).

26. Regarding claim 19 –

Bianco discloses a person authentication application data processing method according to Claim 12, wherein data communication between said information processing apparatus as a person authentication execution entity and the person identification certificate authority as a person identification certificate issuing entity is performed on the condition that the mutual authentication process is established (e.g. abstract, col 2 ln 53 – col 3 ln 5).

27. Regarding claim 20 –

Bianco discloses a person authentication application data processing method according to Claim 12, wherein, for data communication between said information processing apparatus as a person authentication execution entity and the person identification certificate authority as a person identification certificate issuing entity, a data transmission part performs a process for creating an electronic signature for transmission data, and a receiving part performs a process for verifying the electronic signature (e.g. col 55 ln 47-57).

28. Regarding claim 21 –

Bianco discloses a person authentication application data processing method according to Claim 12, wherein an encryption key used to encrypt the template stored in the person identification certificate issued from said person identification certificate authority

Page 14

is a public key which is set for said information processing apparatus or an individual user (e.g. col 55 ln 37-45).

29. Regarding claim 22 -

Bianco discloses an information processing apparatus for performing a person authentication process based on a verification process between a template extracted from a person identification certificate in which the template which is person identification data of an individual user who uses the information processing apparatus is stored and user input sampling information wherein said information processing apparatus performs a process for retrieving a person identification certificate used for a person authentication process based on user input information with stored data of the information processing apparatus being used as the retrieval target(104, col 3 ln 1-5, "compared measurements of unique personal characteristics"), outputs a request for issuing a person identification certificate to a person identification certificate authority which is a person identification certificate issuing entity when the information processing apparatus determines that the person identification certificate has not been received from the person identification certificate authority and stored locally in a local storage device of the information processing apparatus (e.g. col 16 In 5-20, ""switchboard object receives the request, via comm. object, and creates receiver object'), and stores the person identification certificate issued from the person identification certificate authority in the storage means of the information processing apparatus (e.g. col 54 ln 10-28, "encrypted digital certificate containing . . . identification information").

30. Bianco does not use the same steps in the same order as the instant application. Mere re-ordering of steps, however, would be obvious to one of ordinary skill in the art and thus does not confer patentability. Note also that Bianco, at, e.g., : "FIG. 7 includes biometric server 104 (FIG. 1), computer 208 (or alternatively remote/web computer 210, both from FIG. 2), authentication interface 704, authentication interface 706, authentication object 708, database object 710, policy object 712, comm object 716, comm object 718, authentication object 720 and biometric device object 722. Here, biometric server 104 is performing as the server and computer 208 is performing as the client." (col 22, ln 41-49).

31. Thus, Bianco does allow for either remote or local template checking.

32. Regarding claim 23 –

Bianco discloses an information processing apparatus according to Claim 22, wherein, in the process for storing the newly obtained personal identification certificate in the storage means, when said newly obtained person identification certificate is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus, said information processing apparatus performs a process for creating pair information of identifiers of each certificate and for storing the pair information in the storage means (e.g. col 54 ln 20-30).

33. Regarding claim 24 –

Bianco discloses an information processing apparatus according to Claim 22, wherein said information processing apparatus performs a process for retrieving a public key

certificate used for data communication with an external apparatus with stored data of the storage means of the information processing apparatus being used as the retrieval target on the basis of user input information, creates a pair of a public key and a secret key when a corresponding public key certificate cannot be extracted, transmits the created public key to the certificate authority which is a public key certificate issuing entity, makes a request for issuing a public key certificate, and performs a process for storing the public key certificate issued from said certificate authority in the storage means of the information processing apparatus (e.g. col 54 ln 20-30).

34. Bianco discloses an information processing apparatus according to Claim 24, wherein, in the process for storing the newly obtained personal identification certificate in the storage means, when said newly obtained person identification certificate is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus, said information processing apparatus performs a process for creating pair information of identifiers of each certificate and stores the pair information in the storage means (e.g. col 54 ln 20-30).

35. Regarding claim 26 -

Bianco discloses an information processing apparatus according to Claim 24, wherein, in the process for storing the newly obtained personal identification certificate in the storage means, when said newly obtained person identification certificate is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus, said

information processing apparatus performs a process for creating pair information of identifiers of each certificate, stores the pair information in the storage means, and registers together a process identifier which identifies a process such as services to be used (e.g. col 55 ln 45-60).

36. Regarding claim 27 –

Bianco discloses a program providing medium for providing a computer program for causing a person application authentication data process for performing a person authentication process to be performed in a computer system based on a verification process between a template extracted from a person identification certificate in which the template which is person identification data of an individual user who uses an information processing apparatus and user input sampling information (104, col 3 ln 1-5, "compared measurements of unique personal characteristics"), said computer program comprising:

a step for retrieving a person identification certificate used for a person authentication process based on the user input information (e.g. col 16 ln 5-20, ""switchboard object receives the request, via comm. object, and creates receiver object');

a step for outputting a request for issuing a person identification certificate to a person identification certificate authority which is a person identification certificate issuing entity when the information processing apparatus determines that the person identification certificate has not been received from the person identification certificate authority and stored locally in a local storage device of the information processing

apparatus (e.g. col 16 ln 5-20, ""switchboard object receives the request, via comm. object, and creates receiver object');

a step for creating pair information of identifiers of each certificate when said person identification certificate issued from said person identification certificate authority is a person identification certificate corresponding to the same user for an existing public key certificate which has already been stored in said information processing apparatus (e.g. col 54 ln 10-28, " digital certificate from a certificate authority"); and

a step for storing the pair information in the storage means (e.g. col 54 ln 10-28, "encrypted digital certificate containing . . . identification information").

37. Bianco does not use the same steps in the same order as the instant application. Mere re-ordering of steps, however, would be obvious to one of ordinary skill in the art and thus does not confer patentability. Note also that Bianco, at, e.g., : "FIG. 7 includes biometric server 104 (FIG. 1), computer 208 (or alternatively remote/web computer 210, both from FIG. 2), authentication interface 704, authentication interface 706, authentication object 708, database object 710, policy object 712, comm object 716, comm object 718, authentication object 720 and biometric device object 722. Here, biometric server 104 is performing as the server and computer 208 is performing as the client." (col 22, ln 41-49).

38. Thus, Bianco does allow for either remote or local template checking.

39. Examiner's note: Examiner has cited particular columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings in the art and are

applied to the specific limitations within the individual claim, other passages and figures may be applied as well. It is respectfully requested from the applicant, in preparing the responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention as well as the context of the passage as taught by the prior art or disclosed by the examiner.

Conclusion

40. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

41. Matchett et al (US 5,229,764) discloses a continuous biometric authentication matrix.

42. Musgrave et al (US 6,505,193) discloses a system and method of fast biometric database searching using digital certificates.

43. Marckini et al (US 5,907,149) disclose an identification card with delimited usage.

44. Ohtsuki et al (US 5,831,547) disclose a wireless card system.

45. Khideckel et al (US 2001/0027527) disclose a secure transaction system.

46. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cristina Owen Sherr whose telephone number is 571-272-6711. The examiner can normally be reached on 8:30-5:00 Monday through Friday.

47. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew J. Fischer can be reached on 571-272-6779. The fax phone

number for the organization where this application or proceeding is assigned is 571-273-8300.

48. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Cristina Owen Sherr

Patent Examiner, AU 3621

u 12/14/07

ANDREW J. FISCHER SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600